

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/686,895	10/16/2003	Hirofumi Onishi	ALPINE.036AUS 7531	
7	590 11/14/2005		EXAM	INER
MURAMATSU & ASSOCIATES 114 Pacifica			MANCHO, RONNIE M	
Suite 310			ART UNIT	PAPER NUMBER
Irvine CA 9	2618		3663	

DATE MAILED: 11/14/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/686,895	ONISHI, HIROFUMI				
Office Action Summary	Examiner	Art Unit				
	Ronnie Mancho	3663				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be time 17 rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	J. lely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20 Au	ugust 2005.					
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
 4) ☐ Claim(s) 1-18 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or 	vn from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examine 10)☒ The drawing(s) filed on 20 August 2005 is/are: Applicant may not request that any objection to the correction of th	a) accepted or b) objected to drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

Art Unit: 3663

DETAILED ACTION

Drawings

1. The drawings were received on 8/20/05. These drawings are approved.

Specification

2. The abstract of the disclosure is objected to because the applicant has added the new matter "when a particular point of interest is located within a large structure". Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 4. Claims 1-18 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

In independent claims 1, 7, and 13 contain added new matter that was not in the original disclosure. That is the claims have been amended to include "when a particular point of interest is located within a large structure, the list includes the icon representing the type of the large structure adjacent to the name of the particular point of interest".

Art Unit: 3663

There is no support in the original disclosure for the term "adjacent". It appears to be new matter.

This indicates a time when the list shall include the icon representing the structure. The new limitation also indicate "when and where a particular point of interest is located", that is "a particular point" NOT --particular POINTS--.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 1-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Miyaki (US 2002/0130906).

Regarding claim 1, Miyaki (abstract, figs. 12A&B) discloses a display method for a navigation system, comprising the steps of:

receiving map data from a map data storage (14, fig. 1) and retrieves information on points of interest (POI 15, fig. 1) specified by a user;

examining whether the point of interest in the retrieved information is located within a large structure (polygon, 12A&B; figs. 11, sections 0055-0058);

retrieving an icon representing a type of the large structure (polygon, 12A&B; figs. 11, sections 0055-0058) in which the point of interest is located; and

Art Unit: 3663

displaying for displaying a list of names of points of interest specified by the user (27, fig. 1);

wherein, when a particular point of interest is located within a large structure, the list includes the icon representing the type of large structure adjacent to the name of the particular point of interest

Regarding claim 2, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display method for a navigation system as defined in claim 1, wherein said step of examining whether the point of interest is located within a large structure includes a step of checking point coordinate data in the map data representing a location of the point of interest and polygon data (polygon, 12A&B; figs. 11, sections 0055-0058) in the map data representing an area of a land or a structure to see whether or not the location of the point of interest is included within the area of the land or structure.

Note! The dictionary meaning of "adjacent" does not mean connected to or directly beside. Reference is made to applicant's figs. 12A&B of the prior art.

Regarding claim 3, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display method for a navigation system as defined in claim 1, wherein said step of examining whether the point of interest is located within a large structure includes a step of comparing point coordinate data in the map data representing a location of the point of interest and polygon data in the map data representing an area of a land or a structure, and a step of determining whether or not the location of the point of interest is within a boundary of the large structure defined by the polygon data.

Art Unit: 3663

Regarding claim 4, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display method for a navigation system as defined in claim 1, further comprising the step of: displaying detailed information on the large structure when the user specifies the icon representing the type of large structure.

Regarding claim 5, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display method for a navigation system as defined in claim 4, wherein said detailed information on the large structure displayed on the navigation system includes a name and an address of the large structure.

Regarding claim 6, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display method for a navigation system as defined in claim 4, wherein said step of displaying the detailed information on the large structure includes a step of producing a pop-up screen showing the detailed information on the monitor screen.

Regarding claim 7, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses a display apparatus for a navigation system, comprising:

means for selecting a method for searching point of interest information;

a map data storage 14 which stores map data including point of interest information and large structure information;

a point of interest display control unit (26, 27) which examines the map data from the map data storage and determines whether a point of interest is located within a large structure;

a memory 15 which stores icons where each icon represents a type of large structure expressed by the large structure information in the map data; and a monitor which displays information associated with the navigation system including a list of points of interest,

Art Unit: 3663

wherein said point of interest display control unit controls said monitor to display a list of names of points of interest specified by the user (27, fig. 1), and when a particular point of interest is located within a large structure, the list includes the icon representing the type of large structure adjacent to the name of the particular point of interest, thereby enabling the user to see whether or not a particular point of interest is located within a large structure (figs. 12A&B; figs. 11, sections 0055-0058).

Regarding claim 8, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 7, wherein said point of interest display control unit checks point coordinate data in the map data representing a location of the point of interest and polygon data in the map data representing an area of a land or a structure to see whether or not the location of the point of interest is included within the area of the land or structure.

Regarding claim 9, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 7, wherein said point of interest display control unit compares point coordinate data in the map data representing a location of the point of interest and polygon data in the map data representing an area of a land or a structure, and determines whether or not the location of the point of interest is within a boundary of the large structure defined by the polygon data.

Regarding claim 10, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 7, wherein said point of interest display control unit causes said monitor to display detailed information on the large structure when the user specifies the icon representing the type of large structure.

Art Unit: 3663

Regarding claim 11, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 10, wherein said detailed information on the large structure displayed on the navigation system includes a name and an address of the large structure.

Regarding claim 12, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 10, wherein said point of interest display control unit causes said monitor to display a pop-up screen showing the detailed information on said large structure.

Regarding claim 13, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system, comprising:

means for receiving map data from a map data storage and retrieving information on points of interest specified by a user;

means for examining whether or not the point of interest in the retrieved information is located within a large structure;

means for retrieving an icon representing a type of the large structure in which the point of interest is located; and

means for displaying a list of names of points of interest specified by the user (27, fig. 1); wherein, when a particular point of interest is located within a large structure, the list includes the icon representing the type of large structure adjacent to the name of the particular point of interest.

Regarding claim 14, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 13, wherein said

Art Unit: 3663

means for examining whether the point of interest is located within a large structure includes means for checking point coordinate data in the map data representing a location of the point of interest and polygon data in the map data representing an area of a land or a structure to see whether or not the location of the point of interest is included within the area of the land or structure.

Regarding claim 15, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 13, wherein said means for examining whether the point of interest is located within a large structure includes a step of comparing point coordinate data in the map data representing a location of the point of interest and polygon data in the map data representing an area of a land or a structure, and means for determining whether or not the location of the point of interest is within a boundary of the large structure defined by the polygon data.

Regarding claim 16, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 13, further comprising means for displaying detailed information on the large structure when the user specifies the icon representing the type of large structure.

Regarding claim 17, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 16, wherein said detailed information on the large structure displayed on the navigation system includes a name and an address of the large structure.

Regarding claim 18, Miyaki (abstract, figs. 12A&B; figs. 11, sections 0055-0058) discloses the display apparatus for a navigation system as defined in claim 16, wherein said

Art Unit: 3663

means for displaying the detailed information on the large structure includes means for producing a pop-up screen showing the detailed information on the monitor screen.

Response to Arguments

7. Applicant's arguments filed 8-20-05 have been fully considered but they are not persuasive.

The applicant's arguments are mostly based on the specification instead of the claim limitations. In addition, the applicant's arguments are based on the added new matter.

It is believed that the rejections are proper and thus stand.

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 3663

Communication

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ronnie Mancho whose telephone number is 571/272/6984. The examiner can normally be reached on Mon-Thurs: 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Keith can be reached on 571-272-6878. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ronnie Mancho Examiner Art Unit 3663

11/5/05

JACK KETTH EXAMINER